



Compendium Praxeos
Medicæ SYDENHAMI,

I N

Usum quorundam commodio-
rem.

C U M

Nonnullis passim Emendationi-
bus, atq; tandem Formulis ali-
quot Medicamentorum additis ex
autographo Autoris Peritissimi.

Editum à

GULIELMO SYDENHAMO, M. D.

• THOMÆ Filio natu maximo.

L O N D O N I,

Impensis J. WYAT, ad Insigne Rosæ
in Cœmeterio D. Pauli. 1719.


850358

Compendium of
Medical Jurisprudence

Ullrich's system of medicine
1871

C U M

Monographs of the
Law and Medicine
and the
Medical Jurisprudence



General and Special
Theology and the
Theology of the
Theology of the

L O N D O N
J. W. & J. W.
J. W. & J. W.






F


Felices sunt, omniq; laude dignissimi, qui multorum utilitati diligentius student, salutiq; generis humani magnoperè profunt. Et feliciores, meâ sententiâ, turpis lucri Studio ductis, magnamq; vim auri per fas & nefas sibi corradentibus. Quinimò & quadantenus Majores, longèq; Feliciores, sævis gentium perturbatoribus, quos viles parafiti serviliter venerantur, Magnosq; solent malè denominare. Permultum debent Medici præclarissimo Sydenhamo Patri, operibus suis sempiternis jam inde efflorescenti;

& aliquantulum gratiæ, ut videtur,
 Filio nunc referendum est, eò quòd
 voluerit tanto Patre se dignum ex-
 hibere, & ad Paternam Benevolen-
 tiam in re Medicâ, quoad poterit,
 se conformare; cum aliarum ejus
 facultatum fuerit Heres, Pater-
 numq; genus tam numerosâ prole,
 sæcundè produxerit. Sic prorsus
 existimat,

Gualterus Harris, M.D.









D E

Morbis Mulierum. •

Fluxus Mensium immodicus, in Puerperio, & extra.

In Puerperio.

Rx. **A** Q. plantag. & vin. r.
 an. ℥j. coq. simul ad
 tertias, & deindè e-
 dulcoretur f. q. sacch. alb. cujus
 A 3 cùm

cùm frigescit, cap. t̄ß bis vel ter in die. Interim Julap. aliquod Hystericum, at satis mite, subindè propinetur, & nodulus seq. naribus admoveatur.


R̄. Galbani & affæ foetid. an. ʒij. Castor. ʒjß. Salis succin. volat. ʒß. Ms. f. nodulus. Vel,

R̄. Sp. salis Armoniac. ʒij. quem sæpiùs olfaciat.

Extra Puerperium.

Mittatur sang. ad ʒviii. seq. manè exhibeatur potio purgativa communis, quæ repetenda est tertiâ quâq; die per duas alias vices, & singulis noctibus per totum morbi decursum sumat Pargoric. ex syr. de meconio ʒj.

R̄. Con-



Rx. Confer. rofar. rubr. ℥ij.
trochisc. de terrâ Lemn. ℥β.
Cort. granator. & Coral. rubr.
præp. an. ℥ij. lapid. hæmatit.
sang. dracon. & boli Armen. an.
℥j. cum s. q. syr. è Coral. sim-
pl. s. Electuar. de quo sumat ad
magnitud. nuc. Mosch. maj. ma-
nè & quintâ pomerid. superbi-
bendo seq. Julap. Cochl. vj.

Rx. Aq. germin. quercûs, &
plantag. an. ℥iij. aq. Cinnam.
hord. syr. rofar. rubr. an. ℥j. spir.
Vitriol. q. s. ad gratam acidita-
tem.

Rx. Rad. symph. fol. plantag.
& urticæ an. q. s. contundantur
simul in mortario marmor. & suc-
cus exprimatur, qui postea clari-
ficetur. Cap. cochl. vj frigidè
ter vel quater in die. Post pri-
mam

mam purgat. applicetur Emplastr. seq. regioni lumborum.

Rx. Emplastr. Diapalm. & ad herniam, an. part. æqual. Ms. extendatur super Alutam. & f. Emplastr.


Diæta refriger. incrassansque imperanda, nisi quod è re erit semel vel bis in die Vini Claretii haustulum ægræ indulgere.


Ad Præcavendum Abortum.

Eadem præscribenda, omiſſis solummodò catharsi & succis.

In Uteri Procidentiâ.

Rx. Cort. quercûs ℥ij. coq. in aq. font. ℔iij. ad ℔ij. sub finem addendo





addendo cort. granat. contus. ℥j.
 rofar. rubr. flor. granator. an. M.
 ij. deindè adde Vini rubri ℥β.
 colatura sit pro fotu, qui cum
 pannis laneis parti affectæ admo-
 veatur manè, horis duabus ante-
 quam è lecto assurgat, & nocte
 post decubitum, donec sympto-
 mata penitus evanuerint.

De Fluore Albo.


Venæsectio semel celebrata,
 ac postea Catharsis ex Pil. Coch.
 maj. ℥ij. tribus vicibus repetita,
 corroborantium usui præmitti
 debet.


Rx. Theriac. Androm. ℥j. β. con-
 serv. flaved. Aurant. ℥j. Diafc.
 ℥β. Zinzib. condit. & nuc. mosch.
 condit. an. ℥ij. pulv. è chelis
 cancr.

cancr. compos. ʒjβ. cort. exterioris Granator. rad. Angelic. Hispan. Coral. rubr. præp. & trochisc. de terrâ Lemniâ an. ʒj. boli Arm. ʒij. Gum. Arab. ʒβ. cum f. q. Syr. ros. r. f. Electuar. de quo sumat ad magnitud. nuc. mosch. maj. manè, horâ quintâ pomerid. & nocte, per mensem integrum, superbibendo seq. infusionis cochl. vj.

Rx. Rad. Enul. Campan. Imperator. Angelic. & Gentian. an. ʒβ. fol. absynth. Rom. marrub. alb. cent. min. & calaminth. an. Mj. Baccar. Junip. ʒj. Incidantur minutim, & infundantur Vini Canarini ℥v. Stent simul in infusione frigidâ. Coletur tantummodò tempore usûs.

Rx. Cort.





R̄. Cort. Peruv. ℥vj. limat.
 Chalyb. ℥ij. Syr. Cydon. q. f. f.
 Electuar. dividend. in xij doses,
 quarum unam cap. 6tâ quâq;
 horâ, superbib. haust. Vini Cana-
 rini.

Vescatur cibus eupeptois, viz.
 Carne vitulinâ, Vervecinâ, &c.
 Abstineat ab esu olerum & fruc-
 tum qualiumcunq; & singul.
 partibus bibat Vin. Hispanicum.

Hysterica Affectio.

Mittatur sang.

Emplastr. è Galb. umbilico
 admoveatur.

Sequenti manè sumat Pil. Coch.
 maj. ℥ij. Castor. gr. ij. f. Pil. iv.
 Repetantur alternis auroris per
 duas alias vices, pro ratione vi-
 rium aut operationis. R̄. Aq.

Rx. Aq. Ceras. nigr. Rutæ & Bryon. comp. an. ℥iij. tinct. castor. & sacch. an. ℥ij. cap. cochl. iiij. in omni languore.

Post Pilulas purgantes confectas, utatur & sequentibus.

Rx. Limat. chalyb. gr. viij. cum f. q. extracti Absynth. f. Pil. n. ij. bis in die sumendæ. Vel è ℥j. illorum f. Pil. xxiiij. cap. iiij. iisdem temporibus, per xxx dies, superbibendo haust. Vin. Absynth.

Vel Rx. Aq. lact. alex. ℥viiij. Absynth. & Gentianæ comp. an. ℥j. sacch. alb. q. f. Ms. f. Julap.

Rx. Pil. chalyb. ℥ij. conserv. Absynth. Roman. ℥j. cort. Aurant. nac. mosch. an. ℥ß. syr. Caryophill. q. f. f. boli viij.

Rx. Vin. Chalyb. ℥j. Syr. Chalyb. q. f. cap. cochl. iv.

Rx. Decoct.

1. The first part of the paper is devoted to the study of the
 2. properties of the function $f(x)$ defined by the
 3. equation

Page 100 of 100

100

100

100

R̄. Decoct. amar. ℥iij. Vin. Chalyb. ℥β. pro haustu.

R̄. Clavor. novor. ℥j immitantur in Lagenam vitr. duarum librarum capacem, quibus affunde Vin. alb. q. s. ad eam implendam. Cap. cochl. iij. vel v. quâque vice, iterumq; repleatur, antequam tōtum sit epotum.

R̄. Chalyb. cum tart. ppt. ℥j. sacch. ℥ij. f. Pulv. cap. ℥β.

Vel cum Electuar. Antiscorbutic. Chalyb. cum tartar. pt. ℥β. potest usurpari.

Vel Tinct. Mart. Mynth. gt. xxx.

Si Chalybs magnas perturbationes inducat, Laud. liquid. aq. alicui Hyſter. miſtum ſing. noctibus ad tempus aliquod propinandum eſt.

B

Si

Si Chalybs corpus calefaciat, tum fumat aq. miner. purgantes.

Aq. minerales ferreæ præbendæ imbecillioribus naturis ; cum non transeunt, ab iis abstinendum per diem unum alterumve.


Not. Chalybis usum non rectè admittere purgantium intercalationem.


Interea dum Chalybs administratur, Remedia Hysterica non sunt prorsus omittenda.

Rx. Myrrh. & Galb. an. ʒj. Assæ foetid. & Castor. an. ʒß. f. è sing. drach. Pil. xij. cap. iij. Vespери, superbibendo aq. Bryon. comp. cochl. iij.

Si ventrem moverint, utatur sequentibus.

Rx. Castor.





Rx. Castor. ʒj. sal. succin. ʒß.
cum s. q. extract. Rutæ f. Pil. xvij.
cap. ij. singulis noctib. superbib.
aq. Bryon. comp. cochl. iij. vel
Julap. Hysterici.

Rx. Castor. ʒj. sal succin. volat.
ʒß. conserv. flaved. Aurant. ʒß.
Syr. Caryoph. q. s. f. boli ix. cap. i.
Vesperi.

Rx. Assæ foetid. ʒß. aq. Puleg.
ʒvj. aq. Menth. ʒij. contunde si-
mul donec lactescat liq. deindè
decantetur. cap. cochl. iij nocte.

Sp. cornu cerv. gut. xx. in ʒviii.
aq. appropriat. seu tinct. castor. ʒj
ad ʒbj aquæ appropri. cap. cochl.
iv. in languorib.

Aq. ferreæ aut Bathonienses per
vi Septimanas bibuntur.

Chalybs cum nihil profecerit,
aq. minerales ferreæ adeundæ, &

si istæ minus profint, aq. calidæ sulphureæ propinandæ.

Zinzib. cond. & sem. carui ad calefaciend. ventricul. subindè sumat. Pil. Hyft. per primas x noctes capiat, superbib. cochl. iv. Julap. Hyfter.

Quem ad usum aq. Bathoniensis duabus auroris bibatur, & tertio quoq; die eas ingredia-
tur.

Cum attritæ fuerint vires, à chalybe incipiendum, sine evacu-
antibus.

Ubi symptomata sunt mitiora, satis est sang. mittere, & alvum solvere, dein. Pil. hystericas ad dies x. bis in die exhibere.

(10)



1. The first of these is the
the first of these is the
the first of these is the

the first of these is the
the first of these is the
the first of these is the

the first of these is the
the first of these is the
the first of these is the

Colica Hysterica.

Anodyno sedatur, interdictis
venæsectione & catharsi, nisi in
valdè sanguineis.

Cortex Peruv. ad ℥j bis in die,
per Septimanas aliquot degluti-
tus, est remedium non contem-
nendum in spasms Hystericis.

Theriaca Andromachi, si cre-
brò diuq; usurpetur hyeme, mag-
num est in hoc morbo Reme-
dium, ut & in aliis à Caloris, Con-
coctionis, & Digestionis defectu
ortis.

R. Conserv. Absynth. Rom. ℥j.
Cort. Aurant. ℥ij. Angel. condit.
nuc. Moschat. cond. & Theriac.
Andr. an. ʒβ. Zinzib. condit. ℥ij.
syr. Caryophill. q. s. f. f. Electuar.

B 3. cap.

cap. ad mag. nuc. Mosch. ter in die. Superbib. haustum Vini absinthitis, vel cochl. vj. seq. Infusionis.

R̄. Rad. Angel. enul. camp. & Imperator. an. ʒj. fol. Absynth. vulg. Centaur. min. Marrhub. alb. & chamædr. an. M. j. Cort. Aurant. duor. incisor. affunde Vini Hispan. q. s. ad supereminentiam duorum digitor. coletur tempore usûs; vel sumat haustum Vini Hispanici simplicis horâ somni. Hæc admodum conferunt, modò ægra tenui non fuerit biliosoq; corporis habitu, tunc enim Diæta Lactea possit usurpari, maximè in Colicâ Hystericâ. Corroborantium omnium maximum est Equitatio.

1871-1872

1. The first of the year was a very cold one, and the snow lay on the ground for several days. The weather was very disagreeable, and the people were much distressed. The crops were all killed, and the stock was very much injured. The people were very poor, and many of them died of starvation. The government was very kind, and gave them food and clothing. The people were very grateful, and they all lived happily ever after.

In Vomituritione.

Cap. aq. Mineral. purgantes
ad ℥iiij tertiâ quâq; aurorâ, &
diebus vacuis Pilulæ Chalyb. af-
fumantur bis in die : Paregori-
cum etiam nocte, exceptâ eâ quæ
præcedit diem purgantem.

Pilulæ Hypochondriacæ :

R̄. Gum. Guaiac. Pil. Stomac.
cum Gum. Aloephang. an. ℥ij.
fal Absynth. cochleariæ an. gr.
xv. extract. Rud. Gentian. succ.
Chelidon. maj. inspissat. an. ℥j.
fal. Mart. Rhei pulv. an. ℥ijß.
cum Elixir. Propriet. q. s. f. Mafs.
è cujus ℥j. f. Pil. no. ix. cap. iij.
sing. noctib. horâ somni.

Chloro-

Chlorosis.

Curatur Medicinis Chalybeatis.

Lochiorum Suppressio.

E vestigio lecto addicatur.

Pil. Hyster.umat quamprimum, superbibendo haust. Paregor.

Si fluxus Lochior. fluere incipiat, Pil. præscript. sine paregorico exhibeantur bis in die per iv. dies, superbibend. Julap. Hyster. cochl. v. si malum adhuc duret, tum omninò ad Laudanum deveniendum.

Men-

History of the County of Essex

By J. H. Sturges

Published by the Essex Historical Society, 1895.
The Essex Historical Society was organized in 1895 for the purpose of collecting and publishing the history of the county of Essex. The society has since that time been actively engaged in the work of collecting and publishing the history of the county. The first volume of the history was published in 1895, and since that time the society has published several other volumes. The history of the county of Essex is a subject of great interest to the people of the county, and the Essex Historical Society is doing much to make the history of the county known to the people.

The County of Essex

The county of Essex is one of the most fertile and productive counties in the State. It is situated on the coast of the State, and is bounded by the ocean on the south and east. The county is divided into several towns, and each town is divided into several parishes. The county is one of the most important counties in the State, and it is one of the most fertile and productive counties in the State. The county is situated on the coast of the State, and is bounded by the ocean on the south and east. The county is divided into several towns, and each town is divided into several parishes. The county is one of the most important counties in the State, and it is one of the most fertile and productive counties in the State.

THE HISTORY OF

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

Mensium Suppressio.

Eadem præscribenda ac in Hy-
 stericâ affectione. R. Trochisc.
 è Myrrh. ℥ij. Syr. de Artemis.
 q. s. f. f. Pil. xxiiij. cap. iij. manè
 & serò, superbibend. Julap. Hyst.
 cochl. iv.

De Ambustis.

Foveatur pars affecta linteis
 Sp. Vini imbutis, usq; dum eva-
 nescat dolor, ac deinceps de novo
 imbuatur linteum, quod ter vel
 quater in die parti affectæ appli-
 cetur.

Angina.


Angina.


Mitt. sang. copiosè è brachio,
 & ex ranulâ utrâq; dein. partes
 inflammatae melle Rosaceo Sp.
 Vit. vel Sulph. ad summum aco-
 rem permixto tangantur.

Emulsionem indies sumat re-
 frigerantem.

Seq. manè, nisi febris & do-
 lor inter deglutiendum remise-
 rint, Venæsectio repetatur, Ca-
 tharsi in diem posterum rejectâ,
 aliàs Catharticum lenitivum ex-
 hibeatur. Epispasticum applice-
 tur cervici.

In omnibus Febribus Inflam-
 matoriis cautè observandum,
 quòd æger à lecto abstineat,
 magnam diei partem, ut jusculis
 hor-





hordeaceis, avenaceis, ac id genus aliis victitet, & cerevisiam tenuem lupulatam & hydrogalam pro potu ordinario bibat.

Apoplexia.

Mittatur Sanguis ut suprâ, deindè Vomitorium ex ℥jß. infus. Croc. Metal. propinetur statim. Emplastr. Epispastic. cervici applicetur. Erectus sedeat æger in lecto, nec stragulis nimis obrutus. Sp. Sal. Armoniac. admoveatur naribus. Finitâ Vomitorij operatione, subindè exhibeantur cochl. iij sequentis Julapij.

Rx. Aq. Rut. ℥iiiij. aq. Bryon. Comp. & Pæon. c. an. ℥j. Sp. c. c. gt. xx. sacch. alb. q. s. f. f. Julap.

Vel

Vel cochl. j. sp. Lavend. comp. per se propinari possit bis vel ter durante paroxysmo, horâ dimidiâ vel integrâ interpositâ. Caven- dum est, nè Cardiacâ plùs justo calida, ac nimis frequenter exhi- beantur.

*Ad Præcavendam Recidi-
vam.*

Cathart. sumat tertiâ quâq; die per sex dies.

Rx. Conserv. flor. salv. Rorism. an. ʒj. Conserv. Aurant. nuc. Mosch. condit. & Zinzib. cond. an. ʒβ. Theriac. Androm. ʒij. pul- ver. diamb. & diamosch. dulc. an. ʒj. f. Opiata cum f. q. Syrup. Ca- ryophill. cap. cuspide cultelli bis in die, superbib. cochl. ij. aq.
Epileptic.

My dear Mr. [Name]
I have just received your letter of the 10th inst. and am
glad to hear from you. I am well and hope this
finds you the same. I have not much news to write
at present. I am still engaged in my usual
occupations and hope to complete them soon.
I am, dear Sir, very respectfully,
Yours truly,
[Signature]

Enclosed find a copy of the report of the
committee on the subject of the proposed
amendment to the constitution.

I am, dear Sir, very respectfully,
Yours truly,
[Signature]

Epileptic. Lang. Ab usu potûs generosioris sibi temperet, vescatur jusculis avenaceis, hordeaceis, ut & ex pullis gallinaceis confectis ; & quandoq; etiam, præcipuè inter purgandum, carne pullorum, agnorum, ac id genus ciborum eupepton.

Asthma.

Mittatur Sang.

Die seq. sumat potionem purgativ. commun. quæ repetatur tertiâ quâq; die per duas alias vices. Diebus a purgat. vacuis sumat sequentia.

Rx. Sem. Anis. pulv. ℥ij cum
 f. q. balsam Lucatell. f. Pil. xvj.
 cap. iiij. bis in die, superbib. De-
 coct. Amar. sine purg. ℥iiij. ca-
 lidè. C Ol.

Ol. lini recenter express. cap.
cochl. j. quartâ quâq; horâ mis-
cend. cum syr. Balsamic. gustui
grato.

Rx. Rad. Zedoar. contus. ʒß.
gum. Ammoniac. ʒij. sulph. vivi
ʒiij. coquantur in hydrom. ad ʒbj.
cap. cochl. j. sæpè in die.

Calculus Renum.

In temperamento sanguin. Mitt.
fang. è brach. affecto Reni respon-
denti.

Dein liquoris posseticici cui ra-
dic. Althææ ʒij incoctæ fuerint
Cong. j. citissimè deglutiatur, &
Enema sequens injiciatur.

Rx. Rad. Alth. & Lilior. an. ʒj.
fol. malv. Mercurialis Parietar.
& flor. Chamæmel. an. M. j. sem.
Lini

1. The first part of the paper
is a list of names, in the order
in which they were received.
The names are as follows:

1. Mr. J. B. Smith
2. Mr. J. C. Jones

3. Mr. J. D. Brown
4. Mr. J. E. Green

5. Mr. J. F. White
6. Mr. J. G. Black

7. Mr. J. H. Grey
8. Mr. J. I. Blue

9. Mr. J. K. Red
10. Mr. J. L. Yellow

11. Mr. J. M. Purple
12. Mr. J. N. Pink

13. Mr. J. O. Brown
14. Mr. J. P. Green

15. Mr. J. Q. White
16. Mr. J. R. Black

Lini & Foenugr. an. $\mathfrak{z}\beta$. coq. f. q. aq. ad $\mathfrak{t}\mathfrak{b}\mathfrak{j}$. M. f. Enema. Rejec-
tis Vomitu, & Enemate. Laud.
Liquid. exhibeatur à gt. xv. ad
xxv. vel Pil. Matth. à $\mathfrak{D}\beta$ ad gr.
xv. propinetur.

In senibus verò, & morbo diu-
turno fractis, ut & vetulis Vapo-
rib. obnoxiiis, (præcipuè si sub
initium Paroxyfmi urinam eæ
reddant nigram & fabulofam)
Venæfectio omittatur.

In mictu fanguineo, cap. æger
singul. hebdomadis Mannæ $\mathfrak{z}\mathfrak{j}\beta$.
vel $\mathfrak{z}\mathfrak{i}\mathfrak{j}$. in feri lact. $\mathfrak{t}\mathfrak{b}\mathfrak{i}\mathfrak{j}$. folut.
Prævenitur copiofâ cerevisiæ te-
nuis compotatione, vel potu diæ-
tético. Nullum est magis efficax
Remedium, quàm Aquar. Cha-
lybeatarum Potatio liberalior,
modò calculus major non fit quàm


ut per Ureteres viam possit invenire vel facere.

Cholera Morbus.

Curatur diluendo sero lactis frigide propinato, aut tepide injecto, vel pullorum juscule aut lacte cerevisiato. Si æger per multas horas fuerit exhaustus, viz. 10, vel 12 ; ad Paregoricum confugiendum, & quotidie repetendum donec pristinas vires receperit.

Colica Biliosa.

Sang. Mittend. & post quatuor horas Anodyn. exhibeatur. Postero die Cathart. Lenitiv. præscribendum, ad tertiam nonnunquam



De per... ..
...

Chloroform

Chloroform is a colorless, volatile liquid with a characteristic odor. It is used as a solvent for many organic compounds and as a reagent in various chemical reactions. It is also used in the manufacture of dyes and pigments. Chloroform is a trihalomethane, consisting of one carbon atom bonded to three chlorine atoms. It is a non-flammable liquid with a boiling point of 61.2°C and a melting point of -63.5°C. It is miscible with many organic solvents but immiscible with water. Chloroform is a common household hazard and should be handled with care.

...

...

...

...

...

quam vicem, interposito die uno repetendum.

Si hic morbus Crapulæ originem debeat, tùm Venter eluendus est Lacte Cerevisiato, quo exantlato Anodyn. propinandum est; seq. die vena secanda est, & ut suprà procedendum.

Iliaca Passio.

Mitt. Sang.

Sal. Absynth. ℥j. cum succo Limon. bis in die sumendus est, superingesta sint cochlearia aliquot aq. Menth. subindè; Victum tenue & in lecto decubitus præscribendo, per totam ægrotationem.

Postquam dolor cum vomitu, per biduum triduumve cessave-

rit, exhibeatur Pilul. coch. maj. ʒj. in aq. Menth. soluta, & persistat in usu prædict. aquæ per longum tempus. Si malum hoc, non obstantib. his, permaneat, tùm sequentia usurpentur.

R̄. Pil. ex duobus ʒβ Merc. d. ʒj. fyr. viol. q. f. f. Pil. iiij.

Pulv. Scammon. vel Refin. Jalap. gr. xij. cum Merc. d. ʒj. fyr. de spin. cerv. q. f. f. Bolus.

R̄. Decoct. com. ʒviiij. Vini Emet. ʒiiij. Ol. lilior. ʒij. Ms. f. Enema injiciendum. Si æger hæc per os rejecerit, Laud. Liquid. gutt. xxv. Aq. Cinnam. fort. ʒβ. instillatæ, statim propinentur.

Cùm verò horum usu symptomatica remiserint, Cathartic. prædictum iterùm exhibeatur.

Verùm

Journal of the Proceedings of the

Annual Meeting of the

Association of the

Professors of the

University of

the State of

the

of

the

the

the

the

the

the

the

the

the

the

the

the

the

the

Verùm si Anodynorum virtute ac vi jam penitus infractis, Vomituritio ac dolor iterùm redierint, Cathartico interim in corpore restante, ad usum Paregor. suprâ descripti revertendum, idemq; eò usq; repetendum 4tâ vel 6tâ quâq; horâ donec intestinis quies omninò inducatur, quo quidem tempore Catharticum operationem suam per sedes exeret. Nihilominùs ad curationem confirmandam per aliquot adhuc noctes capiat Paregoricum in minori dosi cubitum iturus.

Febris Continua.

Æstuationem rego ac moderor, Phlebotomiam vel repetendo


do vel omittendo, Cardiacis calid. vel insistendo, vel parcendo, ac deniq; alvum vel laxando, vel compescendo, prout motum illum vel efferari, vel languescere animadverto.


Vomitorium propinare, est necessarium, ubi est vomendi proclivitas.

Paregoricum nocte sumat.

Si ægri conditio Venæsectionem & Vomitor. postulaverit, tutum omninò esse, ut Venæsectio præcedat Emetico. Propinandum est Emeticum præsertim in principio, ut & quovis morbi tempore, modò vires fuerint, ut Emetici vim ferre queant.

Clysteres injiciantur ad decimum vel duodecimum diem, postea alvus permittatur constipari,





pari, & circa xv diem purgetur æger.

Narcotica vigente Febre obesse solent, at in declinatione prodesse.

Evacuantia Paregoricis debere præmitti in sanguineis, non item aliis.

Despumatio circa diem xiv peragetur, verùm si refrigerantia quælibet seriùs adhibueris, mirum non est, si febris multò longiùs excurrat.

Rx. Aq. lact. Alexit. ℥viii. aq. Epidem & Stephan. an. ℥j. pulv. perlar. ℥j. sacch. alb. parùm f. Julap. sumat cochl. iiij. in languorib.

Rx. Pulv. è chel. cancr. simpl. & comp. an. gr. xv. Confect. Alchem.

cherm. ℥j. f. bol. cap. manè & nocte.

Rx. Entis Ven. ℥β conserv. Lujul. q. f. f. Pil. xij. cap. iij. mane & horâ somni in cochl. Syr. de Menth. Si signa Peripneumoniæ sint, hoc in casu tam Venæsectio quam Catharsis eousq; sunt iterandæ, donec symptomata omnia penitus evanuerint.

Vesperis applicetur Epispastic. nuchæ, sequenti Aurorâ lenitivam hanc Potionem exhibeo.

Rx. Tamarind. ℥β fol. senn. ℥ij. Rhabarb. ℥jβ. coq. f. q. aq. ad ℥iiij. in colatur. dissolv. Syr. de Spir. Cervin. ℥j. Ms. f. Potio sumenda summo mane, & repetenda ad 3am vicem, alternis diebus.

Pare-

1. The first part of the paper
deals with the general theory of
the subject. It is a very
interesting and important
contribution to the literature
of the subject. The author
has done a very good job of
presenting the material in a
clear and concise manner.

2. The second part of the paper
deals with the application of the
theory to the case of the
author. It is a very good
example of how the theory can
be applied to a specific case.

3. The third part of the paper
deals with the conclusion of the
author. It is a very good
summary of the results of the
paper. The author has done a
very good job of summarizing
the results of the paper in a
clear and concise manner.

Paregor. nocte injungo.

Rx. Aq. Paralyfeos ℥ij. Syr. de Meconio. ℥j. succi Limon. cochl. ij. Ms. f. Haustus.

Aphthæ & singultus, si non sponte faceffant, facilè fugantur usu cortic. Peruviani, superbibendo haustum feri lactis.

Rx. Succ. pomor. agrest. vel aquæ plantag. ℥j. Syr. Moror. ℥ij. Salis prunell. ℥ij. f. Gargar. quo os sæpè colluatur, vel syringe injiciatur. Vel succ. plantag. ℥iiij. succi salv. ℥j. sacch. q. f. f. Syr. cap. cochl. parv. sæpius in die, sensim deglutiendo.

Decoct. Album sit pro potu; ut & cerevisia ten. pro libitu. Post Catharsin bis cebratam concedatur ægro Pullorum carnib. vesci, & post ultimam purgat. modò

modò febris aliquantulùm deflagraverit, Vin. Canar. cochl. iij ter in die, per dies aliquot propinentur.

In Phrenitide,

Ut & *Comate*, nihil perindè confert, atq; ægri caput radi, nihil admoto nifi Pileolo tantum.

Si in foeminis *Hysteric.* procurrat febris, modò signa *Peripneumoniæ* & inflammationis circà partes vitales absint, sing. noct. detur *Paregoricum*, & *Medicamenta Hyster.* injungantur, bis vel ter in die.

Febris



1. The first part of the paper
describes the general principles
of the proposed system.



Febris Intermittens.

Rx. Cort. Peruv. ℥j Syrupi
 Caryoph. q. s. f. f. Boli xij cap. j.
 Vel formantur Pil. 72. sumat vj.
 4tâ quâq; horâ, superbib. Vin.
 cujuslibet Haustum, incipiendo
 immediatè post Paroxysmum.

Rx. Cort. Peruv. pulv. ℥ij. Vin.
 Albi vel rubr. ℥ij. stent. simul in
 infusione frigidâ. cap. ℥iij. simi-
 liter.

*Ad Præcavendam Recidi-
 vam.*

Repetatur processus prædictus
 sing. septiman. per tres alias vices.

D

Rx. Ser-


Rx. Serpentar. Virgin. pulv. gr. xv. Vin. Alb. ℥iij, sumat duabus horis ante Paroxysmum, & stragulis coopertus æger sudet per tres vel quatuor horas.


Ante usum horum sæpiùs conducit Emeticum dare.

Si æger a Corticis usu expurgetur, in hoc casu, Laudani Liquidum gut. x. Vino instillari jubeo, & post alternam pulv. dosin assumi, modò Diarrhæa perstiterit.

Sin ob Vomitionem ferè continuam, corticem deglutire nequeat æger, tùm sexties vel octies spatio duarum horarum, capiat succi limonum cochl. j. cum Salis Absynth. ℥j. & sumat dein Laud. liq. gt. xvj. in aq. cinnam. ac brevi post, cessante vomitu, Corticis usum aggrediatur.

Variolæ.





Variola.

Mittatur Sanguis ante Erup-
tionem ; quæ ut plurimum acci-
dit tertio die in confluentib. &
quarto die inclusivè in Discre-
tis.

His primis diebus diluatur
Sang. frequenti potatione cere-
vis. ten. & Diætâ refrigerante
utatur.


Quippè si sudores promoven-
tur cardiacis, & regimine cali-
diori, æger frequenter periet oc-
tavo die in Discretis, & undeci-
mo die in confluentibus.


Cùm *Variolæ* omnes erupe-
rint, quod ut plurimum est sex-
to die post invasionem, vesperi
propinetur Paregoricum, quod

repetatur sing. noctibus, vel sæpius, si opus fuerit, ad morbi usq; finem.

Si omnimoda Urinæ suppressio acciderit, æger è lecto eximatur, & aliquantulum obambulet.

Si expectorari non possit, tùm Gargarisma cum syringe injiciatur. Componatur verò è cerevisiâ tenui, vel aq. hord. cum Melle rosar. Si epispastico opus fuerit, nuchæ applicetur nocte istâ, quæ magnam morbi crisin præcedit : Mox ab assumpto Paregor. Sang. detrahatur, die undecimo vel alio quovis post eum, si febris secundaria cum inquietudine, &c. postulârit, & repeti possit, durante ejus ratione, semel vel bis sequentib. diebus ;
at





at non aliàs. Catharsis etiam blanda die xiiij, vel quovis alio die eum insequente, modò Venæsectio præcesserit, institui possit, nempe ex Electuarii Lenit. ʒj. dissolut. in aq. lact. Alexit. ʒiv.

Interim Paregorica in usum veniant.

Quando Pustulæ perfectè exaruerint, inungatur facies Lini-mento ex ʒj. Pomati, & Spermat. Coeti ʒj.

Die xxj. post invasionem, Mit-tatur Sang. è brachio; & sequen-ti die Catharsis celebranda per tres vices.

Abstineat è lecto ad sextum post invasionem, in quo postea se contineat usq; ad xvij. non aliis stragulis tectus, quàm qui-bus sanus uti solebat.

Si æger Hæmoptoë laboret, vel Urinam reddat sanguineam, tùm exhibeantur quæ priori capite, seu in fluxu Mensium præscribuntur.

Si crurum tumor non evacuationibus præscriptis cedat; facile fugatur usu Herbar. Emoll. & Discutient. in lacte coctarum, quemadmodum in capite febris erysipelat. usurpentur.

Determinante morbo, abs re non erit Vini canar. semicocti cochl. v. vel aliud Medicamentum Cardiac. temperatum exhibere.

In distinctis Venæsectio est supervacanea, nisi regimen calidius præcesserit.

Si

Page 1

Received of Mr. J. B. Smith
the sum of \$100.00
for the purchase of land.

This receipt is given in full
for the purchase of the land
containing 100 acres
situated in the County of
Jefferson, State of
Mississippi.

Witness my hand and seal
this 1st day of January
1880.

J. B. Smith
Notary Public
for the State of Mississippi.

Si contigerit, ut vel Phleboto-
miâ minus opportunè celebratâ,
vel admissô frigore Pustulæ reci-
derint, vel facies ac manus detu-
muerint, Cardiacis utendum est,
sed cavendum tamen, nè in his
exhibendis nimii simus.

Loci in lecto frequens sit per-
mutatio, ut ingens calor contem-
peretur, & evitentur sudores im-
portuni.

Chorea Sti. Viti.

Educatur Sang.


Catharsin sumat ad tres vices,
alternis diebus repetatur, & hauf-
tus Paregor. iisdem noctib. Sang.
mittatur, & alvus subducatur ad
tertiam vicem ; spatio observato
ut nihil periculi ægro immineat.
Diebus


Diebus à purgatione vacuis, capiat
Elect. in Apoplexiâ descript. ad
magnitud. nuc. Moschat. bis in die,
superbibend. cochl. ij aq. Epilept.
Lang. vel Vini sequent. coch. v.

R. Rad. Pæon. Enul. camp.
Imperator. & Angelic. an. ʒj. fol.
Absynth. Rutæ, salv. Beton. Cha-
mædr. Marrub. Alb. & Cen-
taur. min. an. Mj. Bacc. Junip. ʒj.
Cort. Aurant. duorum incidantur
& infund. frigidè in Vin. Canar.
℥viiij. Coletur tempore usûs. Ju-
lapii in Apoplexiâ descripti su-
mat cochl. quatuor sing. nocti-
bus.

Applicentur plantis pedum
Emplastra è Carannâ.

Ob Recidivæ metum pertun-
datur ei vena, & ad dies aliquot
purgetur, eâ ipsâ anni seq. tem-
pestate,





pestate, vel paulò antè, quâ Morbus invasit. Hæc Methodus curationi Epilepsiæ Adultorum convenire possit.

Febris Scarlatina.

Satis habeo ut æger à carnib. in solidum abstineat, & à liquorib. spirituosis quibuscunq; tùm ut neq; usquam foràs prodeat; neq; se perpetim lecto affigat.

Cessantibus symtomatibus, purgetur æger.

Si Convulsiones Epilepticæ, vel Coma, huic morbo sub initium supervenerint, Epispasticum applicetur cervici, & quâlibet nocte paregor. ex syr. de Mecon. propinetur.

Febris

Febris Hæctica Infantum.


Rhabarb. incisi ℥ij. in lagenam vitream ꝥij. Cerevisiæ ten. capacem immitantur, pro potu ordinario. Epoto liquore, aliæ ꝥij. eidem rhab. superaffundantur ad tertiam vicem. Si potus vi Catharticâ saturatiùs imprægnetur, alteri cerevisia mox adjiciatur.

Febris à Dentitione.

Sp. C. C. gt. ij, vel iij pro ratione ætatis in cochl. j, vel altero Aq. Ceras. nigr. vel Julap. exhibeantur ter in die ad vices quatuor vel sex.

Tussis

.....



Tussis Convulsiva.

Curatur Venæsectione & repetitâ Catharsi.

Morbilli.

Æger se contineat in lecto per biduum vel triduum ab eruptione. Diæta ejus, Potusq; sit tenuis. Syrup. de Mecon. singulis noct. à primo morbi insultu usq; ad finem sumend. Pectoralibus utantur, & die duodecimo purgentur.

Illi qui, post Morbillor. discessum, Febre, Dyspneâ, & Dyarrh. laborant, Venæsectione liberantur.

Rachitis.

Rachitis.

Purgetur dosi pulv. Mineral.
tunc postea cap. pil. seq. manè
quotidiè per xij vices.

Rx. Entis vener. gr. v. Conser.
Bugloss. q. s. f. Pil. ij.


Rx. Sp. Lavend. compos. ol. r.
Unguent. de Althæâ an. ʒβ. Ms. f.
Linim. quo inungatur spina dorsi
bis in die. An. ætat. secundo.


Epilepsia.

Applicetur Emplast. Epispast.
cervici.

Rx. Aq. Epilept. Langij ʒiij
Laud. liquid. gt. j, vel ij pro ra-
tione ætatis, Syr. Pæon. ʒj. Ms.
f. Haust. sumend. quamprimum.

Rx. Aq.





R̄. Aq. Rut. ℥iiij. aq. Epilept.
Lang. & Bryon. compos. an. ℥j.
fyr. caryoph. ℥β. f. Julap. cap.
cochl. j. singul. horis, si haust.
præscript. paroxysmum non fu-
gaverit.

In Plerisq; Morbis.

R̄. Aq. Lact. alexit. ℥vj. Epi-
dem. ℥β. Marg. pt. ℥j. pulv. è chel.
cancr. simp. ℥ij. sacch. alb. ℥β. Ms.
f. Julap. sumat cochl. iij. tem-
porib. opportunis, ter in die.
an. 13.

Qui Verminosus est.

Æthiop. mineral. gr. xv. ad
℥β. bis in die sumatur, & 4tâ quâq;
die purgetur.

E

Por-

Porrigo Capitis.

Catharsis bis propinetur, & smegmate oblinire caput convenit sing. matutinis.


Contusio.


Venæsect. & purgat. alternatim repetantur; interim si internæ partes lædantur, sequentia præscribantur.

Ol. Amygd. dulc. cochl. j. vel Balsam. Lucatel. sæpiùs propinetur.

Vel R. Lap. Hibern. Spermat. Ceti, & sacch. an. ℥iij. nuc. mosch. ʒj. Ms. in xij dof. dividend. Cap. j. ter in die superbibend. haust. cervisiæ Prusiensis.

R. Ol.





R. Ol. Amygd. d. unguenti
 Dialth. & Pomat. an. ʒj. M. f. Li-
 nimentum, quo inungatur pars
 læsa manè & serò, superimponen-
 do fol. Brassicæ.

Diabetes.

Eadem præscribenda sunt, quæ
 in Fluore albo, omiſſis solummo-
 dò Venæsect. & Cathar.

Dysenteria, &c.

Mittatur Sanguis.

Eâdem nocte Paregor. propi-
 netur, & manè seq. Potio purgans
 communis, repetenda alternis
 dieb. ad duas alias vices, & Pare-
 gor. nocte ; ac diebus à purgat.


vacuis idem manè & serò est exhibendum.

Cùm per tres vices purgatus fuerit æger, tota curatio usui Laud. bis vel ter in die repetiti postea incumbit, nisi quòd enema ex Lact. vaccin. ℥ß. & Theriac. Androm. ʒj. subindè injiciatur.

Rx. Aq. lact. ʒviii. aq. Epidem. & Stephan. an. ʒj. ocul. cancr. ʒj. sacch. parum. Ms. cap. ʒiiij. in languorib. vel ad libitum.

Potus sit lac coct. cum aq. triplo, vel Decoct. alb. si dejectio virium postulaverit.

Aq. font. ℥ij. cum Vin. Canar. ℥ß simul coctæ, pro potu frigide assumantur.



In Diarrhœa,

Tantum seq. Bolus sing. matutin. exhibetur. R. Rhabarb. pulv. ʒβ. Theriac. Androm. ʒj. Syr. Cyd. q. f.

Vel R. Coral. rubr. pp. C.C.C. an. ʒj. conserv. Ros. ʒij. croci Mart. astring. ʒij. Syr. Ros. r. q. f. f. Elect. cap. q. n. Moschat. ter in die.

Ubi tormina sicca sunt, curantur diluendo fero lactis frigide propinato, & tepide injecto pul-
lorum juscule, aut lacte cerevisi-
fiato.

Tenesmi

Curatio fit corrob. solis qui palato arrident maximè.

In Dysenteria.

Dolores aliquando ægrum ad annos aliquot discruciant, tunc Phlebotomia repetita pristinam sanitatem restituit.

Diarrhœa

In defervescentiâ febris, ubi vomituritio conjungitur, ab Emetico, non ab astring. propriè fisti solet, attamen & enemate astringenti fisti possit, si minùs valeat Emeticum. Meliùs curatur Venæsectione & Sanguinem contemperantibus, quàm aliis quibuscunq;

Erysi-

... in the ...
... and ...
... all the ...
... the ...
... the ...
... the ...

... the ...
... the ...

... the ...
... the ...
... the ...
... the ...
... the ...
... the ...

1874 July 10

1874 July 10

1874 July 10

1874 July 10

1874 July 10

1874 July 10

1874 July 10

1874 July 10

1874 July 10

Erysipelas.

Mitt. Sang.

Die sequenti sumat potionem commun. purgativam. Si primæ Venæsect. non cedat morbus, tùm repetatur ad duas alias vi- ces, interposito die uno. Diebus à Venæsect. liberis Enem. è lacte cum syr. Viol. Emulsio refriger. & Julap. sunt præscrib.

Pars affecta seq. mixturâ illina- tur. R. Troch. alb. Rhaf. ʒj. camph. ʒj. Sp. Vin. ʒj. aq. samb. ʒvj Ms.

Gonorrhœa.

Catharticum sumat singulis aut alternis diebus, vel clyster se- quens bis in die injiciatur.

R. Elect.

R̄. Elect. è succo ros. ʒvj terebinth. Venet. ʒβ. in vitello ovi solut. dissolvantur in aq. hord. ℥j. colat. adde syr. viol. ʒij.

Turbith. minerale ad gr. viij. exhiberi potest bis vel ter, diebus quatuor interpositis.

R̄. Pil. ex duob. ʒβ merc. d. ʒj. syr. viol. q. f. f. Pil.

R̄. Elect. lenit. ʒjβ. Balsam. Capiv. ʒj pulv. Jalap. sal. prun. & gumm. Guaiac. an. ʒj. syr. Alth. q. f. f. Bolus. Interdum etiam Balsam. Capiv. vel terebinth. è Chio fumat.

R̄. Terebinth è Chio ʒβ in vitellis ovor. solve in mortario parum tepefact. & adde syr. de Althæa ʒj. deniq; cum aq. lact. ʒjβ. sensim affusis f. potio.

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..

A. J. P. 1880

North
... ..
... ..

R. J. P. 1880

For
... ..

A. J. P. 1880

... ..
... ..

R. J. P. 1880

... ..
... ..

A. J. P. 1880

... ..
... ..

R. J. P. 1880

... ..
... ..

Mitt. Sang. in Scroti Tumore.

Dein admoveatur Emplastr. de
Ranis cum Mercurio, vel Catapl.
ex fol. Absynth. ad teneritudinem
coctis, quartâ parte sevi vervec.
additâ.

Rx. Ung. Basilic. ℥ij. præcip. ru-
bri ℥ij. Ms. f. Linimentum quo
lintei rasura imbuatur, & ulcus-
culo admoveatur, si fuerit in
pene.

Rx. Troch. alb. Rhafis ℥ij. aq.
Plantag. & ros. an. ℥iiij. f. Injunctio.

Rx. Sars. ℥iiij. chin. ℥ij. passul.
℥iiij. fant. r. ℥j. rasur. C. C. ℥ij. coq.
in aq. font. ℔xij ad ℔viiij. tùm
adde cinnam. sem. coriand. an. ℥j.
colat. Sit pro potu, ut & Hydro-
gala, Emul. refrigerans, cerevisia
ten, &c.

Vel


Vel R̄. Sarf. Chin. rad. Eryng.
cand. raf. C. C. an. ʒij. coq. in Cong.
j. aq. ad t̄bv.

R̄. Sacch. Satur. ʒj. aq. calc.
viv. ʒv camph. in f. q. Sp. Vin.
folut. ʒβ. Ms. foveantur eo omnes
inflamm. penis, vel cum Ung. Nu-
trito.

R̄. Sal. Prunell. & Sacch. an. ʒj.
Ocul. cancr. ʒβ Ms. divid. in xvj
doses. cap. j. ter in die. in ardore
Urinæ.

Hæmorrhagia Narium.

Sanguis frequenter extrahatur.
Victus refriger. & incrass. injunga-
tur. Julap. refriger. cum Emuls. re-
frig. præscribantur. Enema refriger.
quotidiè injiciatur, atq; omni noc-
te Paregoric. ex syr. de Mecon. ex-
hibea-



hibeatur, & semel vel bis potione purgativâ utatur. Lintea immersa aquæ frigidæ, in quâ sal Prunell. dissolvitur, admoveantur nuchæ sæpiùs in die.

Rx. Aq. Plantag. ℥iij. Bol. Arm. subtiliss. pulv. ℥β Ms. Turunda ex linteo raso, liquore hoc humectata, nari indatur, & istic relinquenda. Vel Vitriolum Roman. copiosè dissolutum.

Hæmoptoe, vel Vomitus Sanguinis.

Eandem ferè methodum mendiendi sibi vendicat ut suprâ, nisi quòd Catharsin minùs ferat, ob Tabis metum.

Electu-

Electuario in fluxu mensium
descripto utatur.

Hydrops.


In Robustis, aquæ evacuatio
solum committenda Catharticis ;
in Infirmioribus, Diureticis.


Rx. Cortic. inter. samb. Mij.
coq. in aq. chalyb. ℥ij. ad ℥jß. cap.
℥ß. bis in die. vel Ebulliat tota
herba in cerevis. forti.

Rx. Cin. Genist. ℥ij. Absynth.
pug. ij. infund. ℥ij. vin. alb. cap.
haust. bis vel ter in die.

Rx. Rad. Gent. inc. ℥j. sumit.
Genist. centaur. min. & Absynth.
Rom. an. Mj. sem. foenic. & pe-
tros. an. ℥ij. affund. vin. alb. ℥iiij.
coletur tempore usus, cap. ℥iij.

Rx. Rad.





Rx. Rad. Raphan. rustic. ℥iiij. fol. cochl. hort. Absynth. salv. sumit. centaur. min. Genistæ an. Miiij. Aurant. incisior. n°. 4^{or} infunde in Cong. viij. cerevisiæ fortis non lupulat. & sit pro potu.

Rx. Conserv. cochl. hort. Absynth. an. ℥j. extract. Gent. & cent. min. an. ℥β fyr. è quinq; rad. q. s. f. Elect. sumat ad magnitud. n. mosch. ter in die. superbib. haustul. liq. prædict.

Æger nullo modo expurgandus est, dum Sanguinis corroborationi navatur opera.

Lues Venerea.


Rx. Axung. Porc. ℥ij. Merc. crud. ℥j. Ms. f. Linimentum, in tres partes dividend. quarum unâ
F bra-


brachia, crura, & tibias ad tres noctes continuas manib. suis æger perungat ; ita tamen ut neq; axillas, neq; inguina attingat uspiam. Si verò intrà tres dies post ultimam inunctionem Salivatio haud procedat, tùm gr. viij Turbith. mineral. in conserv. ros. rubr. exhibeantur ægro, qui post sing. vomitiones aut sedes sumat haust. liquoris possetici calidè.

Ptyalismus ita moderari debet, ut s̄bjv Nycthemeri spatio expuat ; si altiùs exurgat, reprimen-
dus est Catharticis ; si Diarrhæa supervenerit, antequam Salivatio benè assurgat, tunc sistenda est usu Laudani.

Si os multùm exulceretur, col-
luatur Aq. ros. vel lacte aq. per-
mixto. Vel.

Rx. Rad.





R \acute{x} : Rad. Alth. hord. mund. an.
 ʒj. sem. Cydon. ʒβ. coq. f. q. aq.
 ad ʒij M. f. Gargar. quo sæpiùs
 utatur.

Ubi symptomata evanuerint,
 etiamsi parciùs expuat æger, quod
 plerumq; contingit post quartam
 diem à statu Salivationis, indu-
 sium & tori lintea sunt permu-
 tanda, & in usu sint ea, quæ priùs
 usurpata fuerint.

Quoties Lues & Gonorrhæa
 unà stabulantur, Gonorrhææ cura-
 tio tentanda est post finitam Sali-
 vationem, cum Turbith Mine-
 rali semel vel bis in hebdomadâ
 exhibito, cujus vi promovetur
 aliquantulùm ptyalismus, dum
 interim materia Gonorrhæam
 committens paulatim excernitur.

Si tumor offi alicui, *exostosis* vulgò dictus, infideat, incassum prorsus erit curationem aggredi, nisi os exfoliandum sit.


Quò minùs recidivam patiat, ægro semel in septimanâ per iiij. vel vj. vices Mercur. Dulc. Æj. exhibendus, utcunq; benè se habeat, & etiamsi jam domo egrediatur.

Diætam quod spectat, & reliquum ægri regimen, ea ac in Catharsi imperanda.

Mania.

Cum à debilitate & diutinâ fermentatione Sanguinis oriatur, Cardiacis curatur.

Sed



Sed si à nimis exaltatâ & vividâ Sanguinis crasi sit producta, mittatur Sanguis ad ℥x. bis vel ter, diebus tribus interpositis, & è venis jugularibus.

Posteà tota curatio innitatur sequent. Cathartico, quod sumat tertiâ vel quartâ quâq; die, donec convaluerit, observando, quod cum octies vel decies purgatus fuerit æger, exhibitio Cathartici ad septimanam unam vel alteram omittatur.

Rx. Rad. Bryon. pulv. ℥j. lact. vaccin. ℥iiij. vel Rx. ejusdem ℥β. vin. alb. ℥iv. infund. per noctem, colat. dissolve syr. viol. ℥j. f. potio.

Rx. Gamb. gr. xv. aq. lact. ℥iiij. syr. caryophill. ℥β. Ms.

Pruritus.

Venæsect. & Cathars. usurpentur, & partes affectæ inungantur.

Rx. Flor. sulph. ℥ij. Sp. vitrioli gt. 60. Axung. Porcin. q. f. f. Linim. vel Rx. aq. Fallop. & ros. rub. an. partes æquales.

Rx. Ung. Pomat. ℥ij. præcip. alb. ℥β. sal. prun. ℥ij. vel merc. dulc. ℥ij. omittendo præcip.

Si non cedat his, singulis Matutin. cap. liq. possetic. t̄ß ca-
lidè, & sudet horæ unius spa-
tio.

Rx. Theriac. Androm. ℥β. rad. serpen. Virgin. pulv. gr. xv. lap. Bezoar gr. v. syr. caryophill. q. f. f. Bolus horâ somni sumend. per
dies

100

Wednesday, 27 October 1841

Left at 10 AM for the ...

The ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...

The ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...

The ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...

The ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...

The ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...

The ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...
 ... of the ... was ...

dies xxi. superbib. cochl. vj. aq.
Epidem. cum aquâ card. Bene-
dict. permixt.

Punctura Tendinis.

R. Rad. Liliior. alb. in lact.
ad teneritudinem coct. & contuf.
℥iiij. farin. sem. lin. & Avenac. an.
℥iiij. coq. ad Cataplasomatis con-
sistentiam, in eodem lacte, quo
radices coctæ fuere, applicetur
parti affectæ manè & ferò.

Rheumatismus.

Sanguis detrahatur die uno vel
altero interjecto, ita ut post secun-
dam Venæsectionem majora sint
intervalla.

Emulsio


Emulsiō & Julap. refriger. sunt præscribenda diebus à Phleboto-
miâ vacuis.

R̄. Decoct. commun. pro cly-
stere ſbj. fyr. viol. ſacch. culinar.
an. ʒij. Ms. f. Enema. Cataplasma
è micâ panis albi & lacte croco
tincto applicetur parti dolenti.

Si imbecillitas ægri Phleboto-
miam non ferat, tunc cap. alter-
nis diebus potionem purgativ.
donec convaluerit, & ſyrup. de
mecon. iisdem noctibus. Sin æger
nequeat hæc ferre, aggrediatur
uſum Elect. & aq. Antiscorbutic.
in ſcorb. deſcript.

In Juvenibus, atq; iis qui tem-
peratè vixerunt, ſolo lactis ſero
ad dies iiij. veſcatur æger, poſtea
præter ſerum pane ſimilagineo
ſemel in die loco prandii, donec
penitus

... ..



penitus convalescat ; nisi quòd postremis diebus iterum panem in coenam indulgere liceat. Symptomatibus cessantibus carnes pul-
lorum elixorum, &c. eupepta concedantur, tertio autem quoq; die solo lactis fero aliquandiu victitet.

Colica Pictorum.

Sanat Balsam. Peruvianum ; nempè ut ejus gt. 30 seu 40. sacch. alb. instillentur, & bis vel ter in die dentur.

Hæmorrhoidum dolor.

Mittatur Sanguis.

Emulsionis refriger. cap. ʒiij sæpiusculè.


Rx. Sulph.


Rx. Sulph. vivi Pulv. Glycyrr. falv. an. ʒj. cum f. q. Balsam Lucatel. f. Pil. è sing. drachm. viij. cap. iiijter in die, superbib. cochl. vj Emulsionis seq.

Rx. Aq. Spermat. Ranar. ʒiv. in quâ dissolv. Lithargyr. ʒij. Opii ʒj. f. mixtura cujus tantillo Lin-teum madefactum parti affectæ applicetur, vel si tumor intùs lateat, cochl. iiij ejusdem mixturæ modo clysteris injiciantur.

Loco prioris Misturæ, illinitio tumoris ejusdem cum tincturâ Myrrhæ facilè tumorem dissipabit doloremq; compescet.

Pro potu ordinar. bibat aq. cum lacte coct. vel aq. hord. & carnis usu abstineat. sing. noctibus sumat Diacodium.





In Fluxu Hamorrhoidum.

Eadem conferunt, quæ in fluxu mensium immodico, omisâ solummodò Catharsi.

Icterus.

Emeticum sumat, dein Catharticum 4tâ quâq; die. In dieb. à purgatione vacuis, Pil. chalyb. iij exhibeantur bis in die, superbib. cochl. v. vin. alb. Persistat in eis per tres Septimanas. At si signa Hydropis adfuerint, Apozema seq. exhibeatur.

Rx. Rub. tinct. rad. curcum. an. ʒj. Chelidon. maj. cum toto & summit. centaur. min. an. Mj. coq. in æq. part. vin. alb. & aq. ad ℥ij. colat.

colat. dissolve. fyr. de quinq; rad.
 ℥ij. cap. ℥ß calidè bis in die usq;
 dum convaluerit.

Si morbus adhuc obstiterit,
 aq. Ferreæ ex ipso fonte sunt bi-
 bendæ.

Ophthalmia.

Mitt. Sang. seq. die sumat Po-
 tionem purgativ. quæ repetenda
 est per duas alias vices duobus
 diebus interpositis, eisdem noctib.
 sumat haust. paregor. ex fyr. de
 Mecon. ℥j. Diebus à purgatione
 vacuis, sumat ter in die ℥iiij
 Emulf. refrigerantis.

Rx. Aq. Plant. ros. rubr. an. ℥ij.
 Troch. alb. Rhasis ℥ß. vitriol. alb.
 gr. iiij. f. Collyrium, cujus aliquot
 guttæ instillantur bis in die.

Rx. Aq.





R̄. Aq. Sperm. Ranar. ℥iij.
troch. alb. Rhafis ℥β. Sacch.
Saturn. ℥j. mell. rofar. ℥j. f. in-
jectio.

Si non cedat his, repetatur
Venæsectio, & Catharsis semel
vel bis. Abstineat ab usu cujus-
vis liquoris generosi.

Sæpè accidet, quòd Venæsec-
tione & Catharsi utcunq; repeti-
tis Ophthalmia non cedat; hoc in
casu Paregor. ex fyr. de mecon. ℥j
sing. noctib. exhibitum curatio-
nem absolvit, sine aliorum sup-
petiis.

Paralysis.

Alvum solvere convenit per sex
vices, deindè sumat ter in die pro
G dieb.

dieb. xxx. Elect. Antisc. & Aq. cochl. vj. vid. Scorbutum.

Rx. Unguent. Nervin. ℥iij. Sp. Lavend. comp. & Sp. cochl. hortens. an. ℥j. Ms. & inungantur partes affectæ manè & serò.


Peripneumonia.

Curatur Venæsect. & purgat. repetitis; cum remediis Pectoralib. & diætâ refriger. Vena in lecto sit secanda, quò facilius Phlebotomiam ferant.

Pleuritis.

Repetatur Venæsectio quatuor diebus continuis, ubi dolor & respirandi difficultas suadent.

Æger



1871
The first of the year was a
very dry one, and the
crops were much injured
by the drought. The
winter was also very dry,
and the crops were much
injured by the drought.

1872

The first of the year was a
very dry one, and the
crops were much injured
by the drought. The
winter was also very dry,
and the crops were much
injured by the drought.

1873

The first of the year was a
very dry one, and the
crops were much injured
by the drought. The
winter was also very dry,
and the crops were much
injured by the drought.

Æger è lecto quotidie eximendus.

Si Diarrhæa supervenerit, repetitâ Venæsectione sistitur.

Emulsio refriger. & pectoral. remedia sumuntur.

Emplastr. Epispastic. lateri affecto applicandum.

Tussis & Phthisis.

Si Tussis recens fuerit, & nondum febrim accersiverit, satis erit, ut æger per dies aliquot ab usu vini & carnis abstineat, & his remediis ad libitum utatur. Balsam. sulph. Anisatum sacch. alb. instillatum, de quo sæpius lambat Tussi urgente.

℞ 2

℞. Sulph.

Rx. Sulph. vivi & conferv.
ros. rubr. an. ʒβ. fyr. de Balsam.
Tol. q. s. f. mixtura. cap. cochle-
are ter in die vel quater.

Rx. Conferv. ros. rubr. fyr. de
mecon. & capil. Ven. an. ʒj. sem.
Papav. albi ʒiij. Ms.

Rx. Pil. è styrac. ʒij. succ. liqu.
Hispan. aloes rosat. an. ʒj. f. Pil.
xxxvj. cap. iij. horâ somni, sing.
vel alternis noctibus.

Rx. Pulv. liquir. enul. camp.
an. ʒβ. sem. anisi ʒij. mellis ʒiij. f.
Elect. Cap. quant. Avellan. ter.
in die.

Rx. Ol. mac. ʒij. Ung. Aurant.
ʒβ. Ms. illinatur pectus manè &
serò ad dolorem in Tussièdo.

Rx. Sacch. cand. ʒβ. coq. s. q.
Aq. usq; dum adhærescat extre-
mis digitorum, tùm adde pulv.
Glycyrr.

Glycyrr. Enul. camp. sem. Anisi
& Angel. an. ʒβ. pulv. Irid. Flo-
rentin. sulph. viv. an. ʒij. Ol. Chym.
anisi ʒij. f. s. a. Tabellæ tenend.
in ore.

Si Tussis febrim comitem ha-
beat, remediis refriger. coercen-
da, ut lacte Asinino, Emuls. re-
frig. &c.

Vel R̄. Conserv. ros. rubr. & ra-
sur. C. C. an. ʒj. coq. in aq. font.
ʒv. ad ʒij. coletur & utatur pro
potu ordinario cum p. æq. lact.
com.

Sang. educatur, dein alvus sub-
ducatur toties quoties opus fue-
rit.

Post evacuationes sedulo co-
nandum est, ut Tussis sedetur
Pectoral. & Ulcus Opobalsamigut.
aliquot instillatis in saccharum,

vel Pilulis Terebinth. è Chio, seu Balsamo Lucatelli curatur. Equitatio ad fatis longa & diutina itinera specificum est.

Herpes.


Eruptio in colore & figurâ grana Mororum gerit. Venam secare oportet, & alvum ciere, & Paregor. repetere, dum dolor duret.


Rx. Ol. Amygd. d. ʒijß. ceræ citrin. ʒiij. opii in sp. v. solut. ʒß. f. Ung. quo illinatur.

Scorbutus.

Mitt. Sang. nisi signa hydropis adfuerint, & Catharticum sumat. tertiâ quâq; die per tres vices.

Rx. Conf.





R. Conf. cochl. hort. ℥ij. conf. Lujul. ℥j. pulv. Ari comp. ℥vj. fyr. Aurant. q. f. f. Elect. de quo cap. ad mag. nuc. mosch. maj. ter in die, superbib. cochl. vj. aq. Raphan. comp. per Mensē, vel alteram Septimanam.

R. Fol. cochl. hort. Mxij. fol. menth. salv. nast. aquat. & Becabung. an. Mvj. sem. cochl. hort. parū contus. & nuc. mosch. an. ℥β. cerevis. Brunsvic. ℥xij. destil-lentur ℥viiij. Aquæ.

Vel R. Sp. cochl. ℥β. aq. Mirab. ℥iiij. aq. Lact. ℥ij.

R. Rad. Raphan. rustic. incis. ℥ij. fol. cochl. hort. n^o xij. passul. enucleat. ℥ij. Aurant. dimid. incisa in ℥ij. cerevis. ten. immittantur. sit pro potu ordinar. Parentur eodem tempore sex lagenæ, & alia

aliæ pro usu, antequam priores
exhauriantur.

Eadem remedia, Phlebotomiâ
& Catharsi omiffis, in Rheuma-
tismo Scorbutico, five Hyfter.
valdè profunt.

Ulcus Vesicæ.

R. Emplastr. flos. unguent.
diâ. ʒjß. f. Pil. n^o ix. cap. iij. bis
vel ter in die. Vel

R. Pulv. rad. consolid. maj. &
Gum. Arabic. an. ʒj. sacch. Penid.
ʒij. l. Pulv. cap. cochl. bis in die
supercrib. decoct. Traumatic. hau-
stum.



.



[Faint handwritten notes]



Formul. Remediorum.

PULV. Crocin. viz. Pulv.
Comitiss. Cant. & Laud.
liq. an. p. æq. Ms. exsicc.

Rx. Sperm. Ceti ʒj. Laud. liq.
gt. aliquot. fyr. Glycyrr. q. f. f.
Bolus.

In Ventriculi Affect.

Rx. Sp. cochl. & Elix. propr.
tart. an. ʒβ. cap. gt. xx vel xxx.
singul. Matutinis in vin. vel. cere-
vis. ℥β.

In

In Ictero.

Rx. Anim. Hepat. gr. xviii.
 Millep. pt. ʒj. spec. Diacroc. ʒβ.
 Ms. & divide in sex doses.

In Febre.

Rx. C. C. C. ʒj. coq. ℥iiij. aq.
 ad ℥ij. & adde aq. cinnam. ten. &
 sacch. an. ʒβ. f. Decoct.

Rx. Sem. papav. alb. ʒβ. Amyg.
 dulc. excort. ʒj. aq. hord. ℥j. f.
 Emulsio. Colat. adde aq. cinn.
 ten. & sacch. an. ʒβ. cap. ʒiiij. quâq;
 vice.

Succ. Aur. sex Aq. hord. ℥ij
 cum sacch. q. f.

Rx. Aq. hord. ℥ij. sal prun. ʒj.
 syr. viol. & de limon. an. q. f.

Succ.

John J. Smith, Esq., Sheriff

County of ... State of ...

vs.

In Re

John J. Smith, Sheriff, et al.,
vs. ...
...
...

...
...

...
...

...
...

...

200
100

The first of the three things to be
considered in the present case is the
question of the validity of the
contract. It is a well established
principle of law that a contract
is not binding unless it is made
between two parties who are
competent to enter into it. In the
present case the contract was made
between a minor and an adult.
It is therefore not binding.
The second thing to be considered
is the question of the amount of
damages. It is a well established
principle of law that damages
are to be awarded in proportion
to the loss suffered. In the
present case the loss suffered was
the value of the property.
The third thing to be considered
is the question of the interest.
It is a well established principle
of law that interest is to be
awarded on the amount of
damages. In the present case
the interest was awarded on the
amount of damages.

Succ. Limon. ℥iiij. aq. hord.
 ℥ij. aq. cin. ten. ℥β. fyr. mor.
 q. f.

In Pustulis.

Rx. Aq. calc. viv. ℥ij. sulph.
 vivi pulv. ℥j. ebull. invicem, colat.
 adde aq. ros. ℥j. sacch. Saturni ℥ij.
 Ms.

Applicetur plantis pedum mel
 & Terebinth Venet.

Rx. Raf. C.C. rad. scorzon. an.
 ℥ij. conserv. Lujul. ℥iv. coq. in aq.
 font. ad ℥iv pro potu.

Rx. Limon. ij incis. cum cortic.
 liquir. ℥β. sem. coriandr. ℥ij. in-
 fund. in aq. bullient. ℥vj. coletur
 pro Febribus.

Diuret.

Diuret. R̄. Millep.n. 20. contund. parùm cum Terebinth. Venet. q. f. f. Pil. 4. fumend. bis vel ter in die, superbib. cochl. 6. seq. Julap.

R̄. Aq. Petros. ꝥß. ol. Junip. gt. 20. stillentur in sacch. addendo syr. de Alth. q. f. Ms.


R̄. Terebinth. ven. ʒj. Oculor. canc. ʒj. syr. è corall. q. s. f. Bol. in *Acrimoniâ* Urinæ.


R̄. Terebinth. è Chio ʒß. C.C.C. pt. q. f. f. Pil. 60. cap. vj. bis in die.

R̄. Tereb. Ven. ʒij. troch. Alkekeng. ʒß. sacch. q. f. f. Bol. in *Exulceratione*.

R̄. Succ. Limon. ʒij. ol. Tereb. ʒij. vin. alb. ʒiv. Ms. hauriatur in *Ischuria*. 2 dos.

Elæo-





Elæosacch. Junip. cum ℥iiij
 Sacchari & ℥j. ol. cap. ad qu.
 Avell. manè & ferò in haust. liq.
 Possetici.

Rx. Myrrh. ℥β. coq. in vin. r.
 ℥bj. colluantur gingivæ omni ma-
 nè vel sæpiùs, agitando vitrum.

Tinct. myrrh. ℥j. camph. ℥j. in
 Odontalgia & Gingivarum exco-
 riationibus.

Uvula Laxatio.

Rx. Ungul. ros. salv. an. Mj.
 alum ℥j. mell. ℥β. coq. in aq. ℥bjβ
 ad ℥bj. Os colluatur eo.

In Intestin. Affect.

Ocul. cancr. ℥j. coral. r. pt.
 ℥β. cap. ℥β in haust. aq. hord.
 H cum

cum æq. parte lact. vacc. dilut.
bis in die.

Laud. liq. gt. 25 cap. in cochl. j.
Julapii, superbib. ℥ij. ejusdem
omni nocte.

Narcoticum. R. Flor. Paralyf.
Mj. coq. f. q. aq. ceras. colat. dis-
sol. fyr. de Limon. ℥j.

In Tumore Viscerum.

R. Antimon. diaphor. ℥β marg.
præp. Div. Ocul. cancr. & C.C.C.
an. ℥j. f. Pulv.

In Morbis Deploratis.

R. Mass. Pil. Ruf. ℥j. Anti-
mon. Diaphor. & gumm. Guaiac.
an. ℥β. cum balsam. Peruv. f.
Mass.

Mass. cap. ℥j. matutino tempore
per Mensem.

Mel. ros. ℥j. Alum. rupei ℥j. sp.
vitr. gt. iij. in Ore exulcerato.

Decoct. Pect. ℥j. mel. ros. ℥j.
Ms. in *Variolis*.

In Defluxu frig.

Rx. Aq. plantag. ℥β. sp. v. ℥ij.
fyr. mor. q. f. Ms. f. Gargar.

In Hæmorrhoidum dolore.

Rx. Elect. lenit. ℥β. sulph. vivi
℥ij. Ms. cap. manè.

Rx. Ung. Popul. ℥β. Opij in sp.
v. solut. ℥β. Ms. f. Linimentum
quo inungatur pars.

In Hemorrhagia.

Rx. Fol. urtic. plant. an. Mij.
 rad. symphit. ℥iij. coq. in f. q. Aq.
 ad ℥ij. colat. adde fyr. symphit.
 ℥j. Ms. fumat cochl. vj 4tâ quâq;
 horâ.

Ganglion.

Rx. Empl. de minio ℥iij. Ar-
 gent. viv. ℥j. M. f. Empl. parti
 affectæ applicandum.

Raucedo.

Rx. Conserv. cynosbat. ℥jβ. fyr.
 viol. balsamici Capill. Ven. an. ℥ijβ.
 crem. tart. ℥β. tart. vitr. ℥β. M. f.
 Linct.

puer. Helvetii

7 alim. Sup: 3b


7 terram. Latenciu. 5i

M. In pulvis

Pos 3 C. pro 10 Fibris vel

ter. in 1/2

1/2



Linct. cap. cochl. j. sæpè, vel
2dâ quâq; horâ.

Rx. Succ. Irios nostr. ʒjß. syr.
de spin. cerv. ʒß. sumat tertiâ vel
4tâ quâq; aurorâ. Diebus à purg.
vacuis sumat æger Elect. Chalyb.
vel conservæ Parietar. ʒß. ter in
die in *Hydrope*.

In Febre intermitt.

Rx. Cortic. Peruv. ʒj. coq. in ℥iij
aq. lact. ad ℥ij. cap. ʒiij. 4tâ quâq;
horâ.

Rx. Assæ foetid. ʒj. castor. gr. x.
Laud. solid. gr. j. f. Pil. 3. cap.
nocte, vel statim, in *Hyster. Af-*
fect.

In Torminibus Infantum.

Rx. Ocul. canc. $\mathfrak{z}\beta$. sal. absynth.
gr. ix. pro iij dof.

In Pruritu.


Rx. Æthiopis min. $\mathfrak{z}j$. conserv.
buglos. q. f. f. Pil. 72. cap. bis in
die tres.


In Dolore Musculorum.

Rx. Ol. Tereb. & Laur. an. $\mathfrak{z}\beta$
Cham. $\mathfrak{z}j$. Ms. partes inungantur.

Purgantia.

Rx. Tamarind. $\mathfrak{z}\beta$. fol. sen. $\mathfrak{z}j$.
Rhabarb. $\mathfrak{z}\beta$. coq. in aq. font.
 $\mathfrak{z}iv$





ʒiv ad tertias colat. dissolv. syr.
de spin. cervin. ʒj. Ms. f. potio.

Vel R̄. Tamar. & fenn. an. ʒβ.
omittendo Rhab.

Sal Cathart. Amar. ʒj. sumat
in ʒbj. aq. font.

Pil. coch. maj. ʒij. min. ʒβ. ex
duob. ʒj.

Pulv. Jalap. & Merc. dulc. vel
cremor. tartar. an. gr. j. pro sing.
ann. ascendendo ad gr. xv. in mivâ
Cydon.

Syr. cichor. cum Rhabarb.
cochl. j. parvulum exhibendum
Infantibus tenellis.

R̄. Elect. lenit. ʒij. vel tres
solv. in aq. lact. ʒj. pro Infante
ann. j.

Pulv. Cornach. gr. 6. sumat in
cochl. aq. ceras. nigr. cum sacch.
tantillo. in anniculo.

Pulv.

Pulv. Diasenn. & Rhab. an. gr. viij pro quadrienni.

Rhab. incis. ℥β sal. Absynth. gr. ij. Aq. lact. ℥β calidè infund. colat. edulcor. syr. cichor. cum Rhab. ℥j. pro anniculo.


R̄. Diagrid. ℥j. teratur in mort. affund. sensim aq. ceras. n. ℥ij. donec solummodò fæces remaneant, dein adde syr. caryophill. & aq. cinn. an. ℥ij. f. Potio.

Pil. de Aloe rosat. vel Hierâ cum Agarico ad ℥β. vesperi.

Infus. purg. syr. de spin. cerv.

Anni	Inf. p.	Syr.
1 —————	℥ij —————	℥ij
2 —————	℥iij —————	℥ij
3 —————	℥β —————	℥iij
4 —————	℥β —————	℥β

Anni



Full Name of School

Address

City

State

Zip

Phone

Principal

Teacher

Parent

Student

Other

Comments

Signature

Date

Time

Place

Other

Comments

Signature

Date

Time

Place

Other

Anni	Inf. p.	Syr.
5	3vj	3β
6	3vj	3vj
7	3β	3vj
8	3β	3β

Rx. Lact.vaccin.℥j. facch.rub.& fyr.viol.an.3ij. Ms. pro Enemate.

Vel decoct. comm. pro clyster. ℥j. Elect. è bacc. Lauri & facch. r. an. 3j. Ms. f. Enema.

Testæ ostreor. albedo, Marg. pt. coral. r. ocul. canc. Pulv. è chel. cancr. comp. & simp. creta, C.C.C. dos. à. 3β. ad 3ij. ad ℥j aq. pro Julapio.

Vitriol. alb. 3β. ad ℥ij. aquæ pro collyrio.

Millepid. 100. ad. ℥j liquoris.

Cochl. j. aq. continet in se 3β. cochl. fyr. 3vj.

Sal.

Sal. Prunel. $\text{ʒ}\beta$. ad ʒij aq. hord.

Pars j. ceræ ad. 2. sevi. pro
conficiendo unguento.

ʒij . Sacch. ad $\text{ʒ}\beta$. aq. pro sy-
rupō conficiendo.

Spir. vitrioli gt. xxx. ad ʒij . Aq.

Card. ben. Mij. ad Cong. j. aq.

Ipecacuanhæ. rad. ʒj ad $\text{ʒ}\beta$. vel
 ʒij. pro dosi.

Vitriol. alb. vel sal. ejusdem ʒj.
ad ʒij. pro Emetico.

Vin. Emetic. ʒj.

Sacch. $\text{ʒ}\beta$. & ʒj fyr. edulcorat
 ʒij aquæ.

Cap. Vomitor. duab. horis post
leve prandium.

Suppositorium è melle & spe-
cieb. Hieræ-picræ præparetur ex-
templō ; viz. Hieræ-picræ ʒj. sal.
com. $\text{ʒ}\beta$ mellis q. s.

Pugil. viij. faciunt Mj.

Ad

My dear Mr. [Name],

I have just received your letter of the 10th inst. and am glad to hear that you are well. I am also well and hope this letter finds you the same.

I have been thinking much of late about the future of our country and the progress of our civilization. It seems to me that we are passing through a great crisis and that the result will determine whether we are to remain a united people or become a collection of warring states.

I am sure that you will agree with me that the only way to preserve our Union is by maintaining the principles of liberty and justice for all.

I am, dear Mr. [Name], very truly yours,
[Signature]

Ad Electuarium faciendum;
duplum pondus fyrupi ad unum
pulveris.

ʒij Syrupi requiruntur ad ʒj
conserv. nisi cum conserva rosar.
vel flor. caryophil. usurpatur.
tùm ʒβ admiscenda.

Idem sit pondus pulveris & sy-
rupi pro Pilulis conficiendis.

In decocto ʒβ. Rad. ad ℥j Aq.

Cort. & lignor. ʒij. fol. Mj.
fruct. min. ʒβ sem. ʒj. flor. p. j. in
colaturâ adde Arom. ʒj & liqui-
rit. ʒij.

R̄. Syr. ros. solut. ʒij. pulv.
rhab. gr. iv. pro Infante sex men-
ses nato.

R̄. Rhab. ʒj cinn. & salis tart.
an. gr. x. infunde in aq. lact. ʒiv.
colat. adde syr. cichor. cum
Rheo ʒβ.

Pil.

Pil. ex duob. ꝯj. Elat. gr. iij ol.
caryophil. gt. ij. f. Pil. iv. pro duab.
dos.

Rx. Vin. Alb. ꝯiv. Jalap. ꝯj.
Zinzib. ꝯß. fyr. de spin. cerv. ꝯj.
Ms. pro unâ vel ij dos.


Rx. Cortic. Aurant. & pulv. Ja-
lap. an. ꝯß. infund. in ꝯviii. sp. v.
filtretur. detur cochl. dimid. vel j.

Rx. Rhab. incis. ꝯß. vin. alb. ꝯj.
stent simul in Infus. frig. cap.
cochl. iij omni mane.

Rx. Gambog. gr. 12. vin. alb. &
aq. lact. an. ꝯjß. fyr. de spin. cerv.
ꝯß. Ms.

Ex juvantibus & lædentibus
sumitur Indicatio.

F I N I S.



INDEX.

A	<i>Bortus,</i>	Pag. 8
	<i>Ambustio,</i>	21
	<i>Angina,</i>	22
	<i>Apoplexia,</i>	23
	<i>Recidivæ præcautio,</i>	24
	<i>Ardor Urinæ,</i>	58, 84
	<i>Asthma,</i>	25
	<i>Calculus Renum,</i>	26
	<i>Chlorosis,</i>	20
	<i>Cholera Morbus,</i>	28
	<i>Chorea Sti. Viti,</i>	43
	<i>Colica Biliosa,</i>	28
	<i>Colica Hyster.</i>	18
	<i>Colica Pictonum,</i>	69
	<i>Contusio,</i>	50
	I	Dia-

I N D E X.

Diabetes,	51
Diarrhæa,	53, 54
Diuretica,	84
Dysenteria,	51, 54
Epilepsia,	38, 40
Erysipelas,	55
Febris Continua,	31, 82, 83
à Dentitione,	39
Hectica Infantum,	46
Intermittens,	89, 37
Scarlatina,	45
Fluor Albus,	9
Gonorrhæa,	55
Herpes,	78
Hæmoptoe,	59
Hæmorrhagia Narium,	38, 58
Hæmorrhoidum dolor & Fluxus,	69, 71, 87
Hydrops,	60
Hysterica Affect.	11

Icterus,

I N D E X.

<i>Icterus,</i>	71, 82
<i>Ischuria,</i>	84
<i>Iliaca Passio,</i>	29
<i>Lochiorum Suppressio,</i>	20
<i>Lues Venerea,</i>	61
<i>Mania,</i>	64
<i>Mensium Fluxus immodicus, tam intrà quàm extrà puerperium,</i>	5
<i>Mensium Suppressio,</i>	21
<i>Mictus Sanguineus,</i>	ibid.
<i>Morbi in genere,</i>	49
<i>Morbilli,</i>	47
<i>Ophthalmia,</i>	72
<i>Paralysis,</i>	73
<i>Peripneumonia,</i>	74
<i>Phrenitis,</i>	36
<i>Phthisis,</i>	75
<i>Pleuritis,</i>	74
<i>Porrigio Capitis,</i>	50
<i>Pruritus,</i>	66
<i>Punctura Tend.</i>	67
<i>Pustulae,</i>	

I N D E X.

<i>Pustulae,</i>	83
<i>Rachitis,</i>	46
<i>Rauedo,</i>	88
<i>Rheumatismus,</i>	67
<i>Scorbuticus,</i>	ibid.
<i>Scorbutus,</i>	78
<i>Scroti tumor,</i>	57
<i>Tenesmus,</i>	53
<i>Tormina Ventris,</i>	90, 44, 45
<i>Tussis,</i>	75
<i>Convulsiva,</i>	47
<i>Variolæ,</i>	39
<i>Ventriculi Affect.</i>	81
<i>Verminosi,</i>	49
<i>Ulcus Vesicæ,</i>	80
<i>Vomiturritio,</i>	19
<i>Vomitus Sanguinis,</i>	49
<i>Urinæ Acrimonia,</i>	84
<i>Uteri Procidentia,</i>	8
<i>Uvulæ Laxatio,</i>	85
<i>Formulae Remediorum,</i>	81

F I N I S.

4st

Eu / 75

Hutch, Roger
Lane II, 491

